


LAMP PHOTOMETRIC REPORT

MODEL: 98EOS150/BL		
POWER: 150W	VOLTAGE: 230V	WORKING VOLTAGE: 230V
MANUFACTURER: Elmark Industries JSC		

TOTAL FLUX: 17393 lm



γ	C0	C45	C90	C135	C180	C225	C270	C315	γ	Φ zone	Φ total	%
10	9301	9292	9275	9277	9283	9318	9318	9312	0- 10	887.4	887.4	5.1
20	9212	9235	9228	9151	9132	9240	9286	9240	10- 20	2626	3514	20.2
30	8789	8854	8764	8591	8570	8752	8840	8821	20- 30	4175	7688	44.2
40	7769	7720	7521	7404	7483	7593	7657	7657	30- 40	5162	12850	73.9
50	885.4	762.1	763.0	786.5	966.4	1165	1359	1307	40- 50	4019	16870	97
60	167.6	151.3	137.2	136.0	145.6	146.1	146.8	152.9	50- 60	309.8	17179	98.8
70	96.24	87.91	77.21	82.28	84.43	84.40	80.22	89.16	60- 70	111.6	17291	99.4
80	51.74	48.77	42.61	46.10	46.40	47.76	44.71	50.30	70- 80	69.71	17361	99.8
90	8.156	10.13	6.333	9.805	8.046	12.17	8.800	12.96	80- 90	32.41	17393	100
100									90-100			
110									100-110			
120									110-120			
130									120-130			
140									130-140			
150									140-150			
160									150-160			
170									160-170			
180									170-180			
DEG	LUMINOUS INTENSITY:cd									UNIT:lm		

C Range: 0 - 360DEG
C Interval: 10.0DEG
Test Speed: HIGH
Temperature:25.3°C
Operators:
Test Date:26 August 2022

γ Range: 0 - 90DEG
 γ Interval: 2.5DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.00.456
Humidity:65.0%
Test Distance:6.265m [K=1.0000]
Remarks:

MODEL: 98EOS150/BL		
POWER: 150W	VOLTAGE: 230V	WORKING VOLTAGE: 230V
MANUFACTURER: Elmark Industries JSC		

UNIT: cd

C Range: 0 - 360DEG
C Interval: 10.0DEG
Test Speed: HIGH
Temperature: 25.3°C
Operators:
Test Date: 26 August 2022

```

γ Range: 0 - 90DEG
γ Interval: 2.5DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.00.456
Humidity:65.0%
Test Distance:6.265m [K=1.0000]
Remarks:

```