

EL[®]MARK

The Brand of Electricity

LED PEAR STELLAR



TECHNICAL SPECIFICATION

LAMPS AND COMPONENTS

ELMARK[®]

The Brand of Electricity

Technical data:

- Rated voltage: 230V; 50-60Hz
- Power: 8W; 10W; 12W; 15W
- Colour temperature: 2700K; 4000K; 6400K
- LED source: SMD 2835
- Lamp holder: E27
- Beam angle: 240°
- Colour rendering index: Ra≥80
- Switch on/off: >20 000
- Average life: 15 000h

Features:

- Reduced operational cost thanks to lower energy consumption.
- Mercury free.
- Maximum resistance to switching loads.
- Correct operation even at low temperature.
- Instant-on light.

Area of application:

- General illumination
- Domestic applications
- Chandeliers
- Outdoor applications only in suitable luminaires


TECHNICAL SPECIFICATION

LAMPS AND COMPONENTS

ELMARK[®]

The Brand of Electricity

Variants and Dimensions:



Watt (W)	LED lamp lumens (lm)	Colour temp. (K)	Size (mm)		Catalogue number
			Length	Diameter	
8	580	6400	110	60	99XLED794
8	580	4000	110	60	99XLED584
8	580	2700	110	60	99XLED583
10	720	6400	110	60	99XLED795
10	720	4000	110	60	99XLED586
10	720	2700	110	60	99XLED585
12	860	6400	110	60	99XLED821
12	860	4000	110	60	99XLED588
12	860	2700	110	60	99XLED587
15	1080	4000	110	60	99LED742
15	1080	2700	110	60	99LED743

Barcodes:


3800131205087	99XLED794
3800131200686	99XLED584
3800131200808	99XLED583
3800131205094	99XLED795
3800131200709	99XLED586
3800131200693	99XLED585
3800131215376	99XLED821
3800131200822	99XLED588
3800131200815	99XLED587
3800131192325	99LED742
3800131194732	99LED743

TECHNICAL SPECIFICATION

LAMPS AND COMPONENTS

ELMARK®

The Brand of Electricity



EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 62560 • EN 13032-4 • EN 50581:2012

CE RoHS COMPLIANT

www.elmarkholding.eu